


Exam 2 - (50 pts)
Stat 145 – Fall 2009

Name _____

For credit show or explain all answers.

1. Consider the scatterplot below of annual income and years of education of several men.



- (a) (3 pts) Describe the relationship between Income and Education in these men. Comment on the following: form, direction, and strength of the association.
- (b) (3 pts) An outlier is in the upper left hand corner of the scatterplot. Explain how this individual differs from the others in terms of the variables?
- (c) (3 pts) Omitting the outlier, would the correlation between these two variables be closest to -0.8, -.02, 0.2, or 0.8? Explain your answer.
- (d) (3 pts) Including the outlier, explain if the correlation would increase, decrease, or stay the same from your answer in part c above?

2. Measures of waist circumference and intra-abdominal fat from CT scans were collected on 25 men. Researchers are interested in predicting abdominal fat from measures of waist circumference. A scatterplot of the two variables showed a linear form.

For parts (a) through (d) below: round all calculations to two decimal places.

(a) (5 pts) Use the summary statistics below to find the equation of the least-squares regression line for predicting abdominal fat from waist circumference:

Variable	Mean	Std Dev
Intra-abdominal fat (cm ²)	96	27
Waist circumference (cm)	87	9.2

The correlation is $r = 0.86$

(b) (3 pts) Calculate r^2 and explain what this value means.

(c) (3 pts) One man had his waist circumference measured at 110 cm and his intra-abdominal fat measured at 125 cm². What is the predicted intra-abdominal fat for this man? What is the residual for this man?

(d) (1 pt) If researchers wanted to predict waist circumference from intra-abdominal fat, what would be the slope of the least squares regression line?

3. Each of the following statements contains a blunder. Explain in each case what is wrong.

(a) (1 pts) “A correlation of -1 means that two variables have no association whatsoever.”

(b) (1 pts) “The correlation between atmospheric CO₂ and Sea Surface temperature was found to be .83 degrees Celsius.”

(c) (1 pts) “There is a high correlation between ethnicity of American workers and their income.”

(d) (1 pts) “We found a correlation of 1.02 between exercise and life span in the elderly.”

4. (4 pts) A professor wants to send four of her students to a conference. In an effort to be fair, she decides to choose the students who will go by random selection. A list of the 20 students appears below.

<input type="checkbox"/> Nakamaye	<input type="checkbox"/> Embid	<input type="checkbox"/> Christensen	<input type="checkbox"/> Lorenz	<input type="checkbox"/> Zhang
<input type="checkbox"/> Herlan	<input type="checkbox"/> Dudley	<input type="checkbox"/> Nitsche	<input type="checkbox"/> Stone	<input type="checkbox"/> Umland
<input type="checkbox"/> Guindani	<input type="checkbox"/> Pereyra	<input type="checkbox"/> Storlie	<input type="checkbox"/> Loring	<input type="checkbox"/> Simanca
<input type="checkbox"/> Bolli	<input type="checkbox"/> Briand	<input type="checkbox"/> Huerta	<input type="checkbox"/> Kauffman	<input type="checkbox"/> Nitsche

Use the excerpt from Table B below to choose a simple random sample of four students. **Label each student and circle the names of those sampled.**

Line									
145	19687	12633	57857	95806	09931	02150	43163	58636	

5. A group wants to know how much exercise the average adult New Mexican receives each week. A booth was set-up in front of a local gym, and 27 of the 45 adults asked, agreed to fill out a small survey.

(a) (1 pt) What is the population?

(b) (1 pt) What type of sampling is this?

(c) (1 pt) What is the non-response rate?

(d) (2 pts) As an estimate of the amount of exercise received each week by the average Albuquerque adult, will the sample mean most likely be too high, too low, or just right? Explain your answer.

6. A researcher conducts a study to investigate the effect of exercise and diet on mood. She selects three types of exercise: yoga, weight lifting, and aerobics, and two diet types: low sugar, and low fat. A 12-week experiment will compare all combinations of exercise and diet. Each treatment will have 10 different participants. The mood of each participant will be scored before and after each treatment.

(a) (2 pts) List each factor?

(b) (2 pts) List each treatment?

(c) (2 pts) How many participants does the experiment require?

(d) (2 pts) What is the response variable(s)?

7. (4 pts) A study of elementary school children, ages 6 to 11, finds a high positive correlation between pant size and score on a test of math comprehension. Suggest a lurking variable that best explains the observed correlation. Explain your answer.

8. (4 pts) A health club is interested in finding out which of two brands of aerobic exercise equipment provides a more vigorous workout. They purchase 10 machines of each type and for five days between 9 and 12 AM they measure the average pulse rate of each person who is working out on one of these 20 machines. Is this an observational study or an experiment? Explain your answer.