Applications of Computer Algebra – ACA 2019 Montréal, Canada | July 16-20, 2019 École de technologie supérieure

Parametric integrals, combinatorial identities and applications

Thierry Dana-Picard¹, David G. Zeitoun²

[ndp@jct.ac.il]

¹ Department of Mathematics, Jerusalem College of Technology, Jerusalem, Israel ² Orot Israel College, Elkana, Israel

We propose a survey of parametric integrals (aka sequences of definite integrals) studied by undergraduates in an engineering school and pre-service teachers, in a technology-rich environment. The papers in reference provide a few examples only. Parametric integrals are interesting both for their mathematical properties, and the numerous applicable methods, and for their importance in applied science; see [1].

Let be given an either definite or improper integral of the so-called second type $I_n = \int_a^b f_n(t) dt$, where $a, b \in \mathbb{R}$ and $n \in \mathbb{N}$ are given. The study of the family of integrals I_n can yield the following results:

- 1. An induction formula for the sequence (I_n) , such as $I_{n+1} = R(n)I_n$ or $I_{n+1} = u_n + R(n)I_n$, etc., where R(n) is a function of the parameter n; see [2,3,4,5,6].
- 2. A closed formula for I_n as a function of the parameter n, often using telescoping methods which lead to factorial expressions. This is the case if R(n) is a rational function. In some cases, induction connects I_{n+2} and I_n , and the usage of double factorials may yield more compact formulas. Otherwise, the study of the convergence of a series is necessary.
- 3. Combinatorial identities, in the case where more than one integration method can be applied.
- 4. New integral presentations of classical combinatorial numbers; see [3,4,5]

Technology contributes to the study in various ways.

1. A Computer Algebra System provides often an interactive tutor for integration methods. Its usage for small values of the parameter helps to find a general way to compute I_n as a function of I_{n-1}, I_{n-2}, \dots With this, closed formulas can be looked for. 2. The Online Encyclopedia of Integer Sequences (oeis.org). Experiments with the CAS provide the first terms of the sequences of integrals. Using the database, candidates to describe the sequence (I_n) are obtained. Determination of a closed formula is made easier.

Specific situations may appear:

- The computation of the integral for general parameter may be performed directly by the CAS. This has been the case for $I_n = \int_0^{\pi/2} \frac{dt}{1+tan^n(t)}$ with DERIVE (it returns immediately $\pi/4$, an answer independent of the value of the parameter!). Other CAS had hard time with this integral. The reason is that a specific theorem is implemented there; this theorem does not appear in most textbooks and is explained in [1].
- If the answer is readable immediately, we are done. The answer may involve special functions. For example, if $I_n = \int_0^{\pi/2} \sin^n t \, dt$, Maple's command returns immediately $I_n = \frac{\sqrt{\pi} \Gamma(\frac{1}{2} + \frac{n}{2})}{2 \Gamma(1 + \frac{n}{2})}$, providing an incitement to learn something new, the Gamma function, as an extension of the curriculum. An example is described in [5].

We illustrate the different cases with new examples of integrals of rational functions, trigonometric functions, etc., and examples of applications in science and engineering.

Keywords

Parametric integrals, combinatorics, applications

References

[1] G. BOROS AND V. MOLL, Irresistible Integrals: Symbolics, Analysis And Experiments In The Evaluation Of Integrals, Cambridge University Press (2004).

[2] TH. DANA-PICARD, Parametric integrals and symmetries of functions, *Mathematics and Computer Education*, 5-12 (2005).

[3] TH. DANA-PICARD, Integral presentations of Catalan numbers and Wallis formula, *International Journal of Mathematical Education in Science and Technology* **42** (1), 122-128 (2011).

[4] TH. DANA-PICARD AND D.G. ZEITOUN, Sequences of definite integrals, infinite series and Stirling numbers, *International Journal of Mathematical Education in Science and Technology* **43** (2), 219-230 (2012).

[5] TH. DANA-PICARD AND D.G. ZEITOUN, Parametric integrals, Wallis formula and Catalan numbers, *International Journal of Mathematical Education in Science and Technology* **43** (4), 515-520 (2012).

[6] TH. DANA-PICARD AND D.G. ZEITOUN, Exploration of Parametric Integrals related to a Question of Soil Mechanics, *International Journal of Mathematical Education in Science and Technology* **48** (4), 617-630 (2017).

[7] P. GLAISTER, Factorial sums, International Journal of Mathematical Education in Science and Technology **34** (2), 250-257 (2003).