

CAS and Improper Integral - a case study

Magdalena Skrzypiec

Maria Curie-Skłodowska University, Poland

30th Applications of Computer Algebra - ACA 2025

The problem of teaching improper integrals with CAS is not new. I was considered for example in [1], [2] and [3]. During this talk examples of two improper integrals

$$\int_0^{\infty} \int_0^{\infty} \sin(x^2 + y^2) dx dy \quad \text{and} \quad \int_0^{\infty} \int_0^{\infty} \cos(x^2 + y^2) dx dy$$

will be considered. We will discuss the problem of convergence of these integrals. We will also analyze and discuss results obtained using different CAS and AI tools.

References

- [1] G. Aguilera, J. L. Galán, M. Á. Galán, Y. Padilla, P. Rodríguez, R. Rodríguez. Teaching improper integrals with CAS, *ACA*, 2015.
- [2] J. L. Galán-García, G. Aguilera-Venegas, M. Á. Galán-García, P. Rodríguez-Cielos, I. Atencia-McKillop. Improving CAS capabilities: new rules for computing improper integrals, *Appl. Math. Comput.* 316 (2018), 525–540.
- [3] J. L. Galán-García, G. Aguilera-Venegas, M. Á. Galán-García, P. Rodríguez-Cielos, I. Atencia-McKillop, Y. Padilla-Domínguez, Yolanda, R. Rodríguez-Cielos. Enhancing Cas improper integrals computations using extensions of the residue theorem, *Adv. Comput. Math.* 45 (2019), no. 4, 1825–1841.