

Math.375 Fall 2005

Errors in Numerical Computation

Vageli Coutσίας

Vocabulary

- Consistency – correctness - ...
- Convergence (rate)
- Efficiency (operation counts)
- Numerical Stability (error amplification)
- Accuracy (relative vs. absolute error)
- Roundoff vs. Truncation

Due to limitations in computer arithmetic, need to practice “defensive coding”.


- Mathematics $\rightarrow$ numerics + implementation
- The sequence of computations carried out for the solution of a mathematical problem can be so complex as to require a mathematical analysis of its own correctness.
- How can we determine efficiency?

Recurrence relations

$$x^2 - x - 1 = 0 \Leftrightarrow x = 1 + \frac{1}{x} \qquad x_{\pm} = \frac{1 \pm \sqrt{5}}{2}$$

$$x_{n+1} = 1 + \frac{1}{x_n} \qquad x_n^+ \rightarrow x_+$$

$$x_{n+1} = \frac{1}{x_n - 1} \qquad x_n^- \rightarrow x_-$$



MATLAB Editor/Debugger - [recur1.m - C:\WINDOWS\De...]

File Edit View Debug Tools Window Help

Stack:





```
%compute the dominant and subdomin
%solutions of a recurrence
clear
figure
m = 60
%ascending
x(1)=(1-sqrt(5))/2;
for i=2:m
    x(i)=1+1/x(i-1);
end
for k = 1:4
    subplot(2,2,k);
    plot(1:(15*k),x(1:15*k)-x(1))
end
%descending
x(1)=(1+sqrt(5))/2;
for i=2:m
    x(i)=1/(x(i-1)-1);
end
for k = 1:4
    subplot(2,2,k);
    plot(1:(15*k),x(1:15*k)-x(1))
end
```





recur1.m - C...

Ready Line 18 11:26 PM



Instability is inescapable;
But one can learn to ride it!





The first monster:

$$T(x) = e^x * \log(1+e^{-1})$$

For $x > 30$ a dramatic deviation from the theoretical value 1 is found.

For $x > 36.7$ the plotted value drops (incorrectly) to zero


Here:


```
x = linspace(0,40,1000);
```

```
y = exp(x).*log(1+exp(-x));
```


=
w
r
e
t
,
0
5
:
1
=
K

r
o
f







plot of $f1=\log(1+e^{-1})$ with $f2 = e^x*f1$




Pet Monster I $T(x) = 2^x \ln(1 + 2^{-x})$



```
%script monster4
% plots the function  $T(x) = (x^2 - 2x + 1) - (x - 1)^2$ 
% in various orders of evaluation: y and w identical
x = linspace(-0.000000000000000001, 0.000000000000000001, 333331);
%y = (x.^2 - 2*x + 1) - (x - 1).^2;
%for i = 1:333331,
    %y(i) = (sqrt(x(i) + 9) - 3) / x(i);
    y = (1 - 2*x + x.^2) - (1 - x).^2;
    z = (x - 1).^2 - (x.^2 - 2*x + 1);
    w = (x.^2 - 2*x + 1) - (x - 1).^2;
%end
plot(x, y, x, .66*z, x, .33*w)
title('plots of  $T(x) = (x^2 - 2x + 1) - (x - 1)^2$ ')
```



plot of $T(x) = (\text{sqrt}(x+9)-3)./x$



III. MISCELLANEOUS OPERATIONS:

(1) Setting ranges for axes,

```
axis([-40 0 0 0.1])
```

(2) Superimposing plots:

```
plot(x,y,x,exp(x),'o')
```

(3) using "hold on/hold off"

(4) Subplots: `subplot(m,n,k)`

Summary

- Roundoff and other errors
- Multiple plots

References

- C. Essex, M. Davidson, C. Schulzky, “Numerical Monsters”, preprint.
- Higham & Higham, Matlab Guide, SIAM
- B5 Trailer; <http://www.scifi.com/b5rangers/>